



RECEIVED

JUN 2 8 2001

TECH CENTER 1600/2900

Serial No. 09/529,967

25 June 2001

Page 6

REMARKS

The objection to the drawings is noted. Since the objection relates only to the margins and legibility, no proposed drawing changes are believed to be necessary. Formal drawings will be submitted once the application has been allowed.

The specification has been amended to properly use the trademark "Polaroid" to obviate the objection to the specification.

Claim 1 has been amended to delete "a" with reference to detecting the presence of tetracycline. Claim 8 has been amended to delete the term "especially." Claim 9 has been amended to replace "polaroid" by "photographic." Claim 10 has been to delete the phrase "or the like." Claims 21 and 22 have been added to claim the generic recombinant prokaryotic cells and a generic DNA vector as used in claim 1. Claims 11 and 14 have been amended to depend from these new claims. It is believed that these amendments do not constitute new matter, and their entry is requested.

In response to Applicants' arguments concerning the unity of invention of claims 1-20 of the present application in accordance with PCT Rule 13.1, the Examiner noted that the scope of claim 1 must be read to be broader in scope than claims 11 and 14. New claims 21 and 22 have been added so that the scope of the recombinant prokaryotic cell (claim 21) and the vector (claim 22) is the same as claim 1. In view of this amendment, it is believed that claims 1-22 represent a single inventive concept under PCT Rule 13.1 for the reasons set forth in the response to the restriction requirement filed on 9 February 2001. Consideration of all of the claims is therefore requested.

The Examiner has rejected claims 1-10 under 35 USC §112, first paragraph. It is submitted that the Examiner is in error with respect to this rejection, especially with his analysis of the *Wands* factors.

The present claims are directed to a method for determining tetracycline in a sample, to recombinant prokaryotic cells and to a vector. The method utilizes the recombinant prokaryotic cells which contain the vector. The vector comprises a nucleotide sequence encoding a light producing enzyme under transcriptional control of a tetracycline repressor and a tetracycline promoter. Any light producing enzyme can be used, so long as it is under control of the tetracycline repressor and the tetracycline promoter. The nucleotide sequence can be placed in any vector which may be used

RECEIVED

JUN 2 8 2001

TECH CENTER 1600/2900

Serial No. 09/529,967

25 June 2001

Page 7



in prokaryotic cells -- any prokaryotic cell which is compatible with the vector. To determine enablement, the specification is considered in light of the knowledge in the art at the time of the invention. One method that can be used, which is not the only method, is to consider the *Wands* factors. If the *Wands* factors are properly considered in light of the knowledge in the art, it is submitted that the specification fully enables the claimed invention.

The Quantity of Experimentation Necessary

The Examiner states simply that several man-years of experimentation with little reasonable expectation of success would be needed, without providing any reasons or evidence to support his contention. Bald contentions without scientific reasons or evidence are not sufficient to sustain an enablement rejection. *In re Marocchi*, 169 USPQ 367 (CCPA 1971). There is little experimentation that is required, and even if some may be necessary, it is not an undue amount -- which is the proper standard. Recombinant DNA techniques are well established in the art, as evidenced by Sambrook et al. (*Molecular Cloning: A Laboratory Manual*, 2nd Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., 1989) and Ausubel et al. (*Current Protocols in Molecular Biology*, J. Wiley and Sons, N.Y., 1992, and periodic updates) and numerous volumes of *Methods in Enzymology*, among numerous other texts, all well known to persons of ordinary skill in the art. In view of the vast knowledge in the art, the preparation of vectors which are suitable for transforming prokaryotic hosts does not require undue experimentation. That is, skilled artisans know which vectors can be used with any given host. Transformation techniques for most prokaryotic hosts are also well known in the art. Thus, the transformation of hosts with such vectors also does not require undue experimentation. DNA encoding light producing enzymes and DNA containing tetracycline repressor and tetracycline promoter are well known in the art. In fact, Applicants have not invented any such DNA. Thus, the use of such DNA in preparing the vectors does not require any undue experimentation.

In addition, no undue experimentation is required to analyze samples of milk, fish, meat, infant formula, eggs, honey, vegetables, serum, plasma or whole blood. Techniques for analyzing samples from these materials were well known in the art at the time of the present invention. Furthermore, determination of the tetracycline in these materials, *albeit* by different assay methods,

was well known at the time of the present invention. The following represent references which describe testing various samples for tetracycline.

- (a) beef liver, beef kidney, beef muscle, pork liver, pork kidney, pork muscle: Ikai, Y et al., *J. Chromatogr.* (1987) 411:313-323;
- (b) beef liver, pork liver, chicken liver, beef muscle, pork muscle, chicken muscle, milk, egg, yellow tail, eel: Oka, H et al., *J. Chromatogr.* (1985) 325: 265-27;
- (c) swine urine, swine plasma, swine liver: Sharma, J.P. and Bevill, R.F., *J. Chromatogr.* (1978) 166: 213-220;
- (d) sheep urine, sheep plasma, cattle urine, cattle plasma: Sharma, J.P. et al., *J. Chromatogr.* (1977) 134:441-450;
- (e) salmon: Carrignan, G. et al., *J. AOAC Int'l.* (1993) 76: 325-328;
- (f) milk: Carson, M.C., *J. AOAC Int'l.* (1993) 76:3229-334;
- (g) bovine muscle, porcine muscle: Walsh, J.R. et al., *J. Chromatogr.* (1992) 596: 211-216;
- (h) cattle muscle, cattle liver, cattle kidney, cattle blood, swine muscle, swine liver, swine kidney, swine blood: Moats, W.A., *J. Chromatogr.* (1986) 358: 253-259;
- (i) catfish: Moretti, V.M. et al. *Analyst* (1994) 119:2749-2751; and
- (j) honey: Oka, H. et al., *J. Chromatogr.* (1987) 400: 253-61.

Thus, the isolation and treatment of samples from milk, fish, meat, infant formula, eggs, honey, vegetables, serum, plasma or whole blood requires no undue experimentation.

The Amount of Guidance Provided in the Specification

The present specification provides sufficient guidance to a person of ordinary skill in the art to practice the claimed invention. The specification clearly describes the components of the vector present in the prokaryotic cells which are used to practice the claimed method. That is, the vector contains a nucleotide sequence which encodes a light-producing enzyme under the transcriptional control of a tetracycline repressor and a tetracycline promoter. Any vector can be used which contains such a nucleotide sequence, and any nucleotide sequence which contains the component parts can be used. The specification further provides guidance that any prokaryotic cell can be used, such as disclosed at page 9, lines 7-17. The specification provides guidance that the method can be used to assay for tetracycline in samples of milk, fish, meat, infant formula, eggs, honey, vegetables,

serum, plasma or whole blood. Thus, the specification provides guidance to a skilled artisan for the breadth of the claimed subject matter.

All of the novel aspects of the invention have been disclosed by the specification. The novel aspect is the use of a prokaryotic cell containing a vector for the determination of tetracycline in a sample. The vector comprises a nucleotide sequence encoding a light producing enzyme under the transcriptional control of a tetracycline repressor and a tetracycline promoter. Each of these elements is known to a skilled artisan. The novel aspect of the gene for a light producing enzyme being under the transcriptional control of a tetracycline repressor and tetracycline promoter is fully disclosed in the specification. Thus, Applicants have supplied the novel aspects of the invention, and the specification does not rely on the knowledge of a skilled artisan to supply any novel aspects.

The Presence or Absence of Working Examples

The specification provides working examples which demonstrate that there is no undue experimentation required to determine the presence of tetracycline in accordance with the present invention. Thus, it should be noted that the application discloses the determination of tetracycline from two especially difficult sample matrixes, i.e. from pig serum (Example 3 and Fig. 9) and cow milk (Example 4 and Fig. 10). Tested pig serum was highly lipemic and milk is generally known to be a very difficult sample matrix for analytical purposes. A person skilled in the art (PSA) is, however, able to use the teachings of the application, i.e. the biosensor disclosed, for determining tetracycline from other samples by incorporating general knowledge of the pretreatment of each specific kind of sample, which knowledge would be available to the PSA (see above). Instruction and/or guidelines for pretreatment of samples can be found in textbooks and numerous articles. The application discloses the biosensor and a few real sample matrixes in which the presence of tetracycline has successfully been demonstrated.

The examples in the specification clearly demonstrate that the need for cleanup of samples by pretreatment is minimal. It should also be noted that the actual reaction which produces the light to be measured takes place within a bacterial cell. A bacterial cell is known to maintain the microenvironment within the cell to be very stable, e.g. its intracellular pH would remain highly stable also if the pH of its environment were to fluctuate significantly. Thus, the biosensor of the invention is highly applicable for different sample matrixes.

The examples and specification disclose a prototypic determination method, which has been shown to enable determination of tetracycline from a few real sample matrixes. It has also been disclosed how the biosensor has been obtained and how it is used. A PSA can use the biosensor for determination of tetracycline from different kinds of samples, taking into account known guidelines for determination of tetracycline from different kinds of samples (as referred to above). The application also provides guidance on how a PSA can easily make the assay more sensitive if needed.

Nature of the Invention

The present invention is in the area of recombinant DNA and assay techniques. Most aspects of recombinant DNA are no longer inherently unpredictable. For example, a skilled artisan can predict with reasonable certainty that a vector useful for a specific host cell can be used in a host cell regardless of the gene inserted into the vector. Thus, for the factors of the present invention, the degree of unpredictability is low. Furthermore, the specification clearly provides a high level of enablement through the working examples which demonstrate the practice of the claimed invention.

The State of the Prior Art

As discussed in great detail above, the state of the art with respect to recombinant DNA is very broad. In this context, the state of the prior art with respect to vectors, host cells, DNA sequences for light producing enzymes, tetracycline repressor and tetracycline promoter is not limited in any respect. In addition, techniques for preparing such vectors and host cells containing the vectors are not limited in any respect. Thus, it is submitted that applications of these techniques to the claimed method are not limited in any respect.

The Relative Skill in the Art

The relative skill in the art is lower than that suggested by the Examiner. The skill in the art at the time that recombinant DNA inventions were first made, e.g. in the 1970's, was certainly at the level of individuals with a Ph.D. in biochemistry. However, such a level of skill for the ordinary artisan is no longer that high. Undergraduate students today routinely perform experiments in the recombinant DNA art. These students can readily isolate and clone sequences when provided with sufficient information as to what is to be isolated and cloned. Texts are available in the art which provide all of the necessary instructions for making recombinant DNA, recombinant cells and growing such recombinant cells. The Examiner is no doubt well aware of Sambrook et al., *supra*,

Ausebel et al., *supra*, and the numerous volumes of *Methods in Enzymology*. These references were well known to persons of skill in the art at the time of the invention. Thus, a PSA would at least know the basics of microbiology and molecular biology, which would enable him to practice the claimed invention on the basis of the present disclosure.

The Breadth of Scope of the Claims

The Examiner contends that the claims are broad on the basis of several factors. Applicants agree that the claims encompass any number of constructs that can be used in the detection of tetracycline. This factor in and of itself does not render the claims enabled by the specification. Even assuming that the claims could be considered as broad as the Examiner considers, each of the factors enumerated by the Examiner is well known to a skilled artisan and described in the prior art. For example, the prior art fully understands each of the factors noted by the Examiner as follows.

Factors (a) and (b): Sambrook et al. referred to in the application (and cited above) gives detailed instructions on e.g. how to prepare, propagate and control genetically modified organisms (GMO).

Factor (c): For example, the publications referred to above describe the pretreatment of different kinds of samples and the influence of environmental parameters on tetracycline determination. Thus, a PSA would know what should be observed for each individual type of sample when determining tetracycline from different kinds of samples.

Factor (d): The assay is group-specific. It does not determine which specific tetracycline is involved.

Factor (e): The assay is a screening assay and is not intended to be used for quantitative assays. The biosensor can be used for screening. It gives a qualitative, i.e. a positive or negative, result. No quantitation has been disclosed in the application or claimed in the claims.

Factor (f): The level of the sensitivity of the assay is demonstrated by the examples.

Thus, as demonstrated above, the assay system is predictable, significant guidance has been provided by the specification, working examples demonstrating the invention have been provided, the state of the art is well developed, the level of skill in the art is not high, the claims are more limited breadth than asserted by the Examiner for several of the noted factors. Thus, a proper application of the *Wands* factors demonstrates that the specification is fully enabling for the claimed




Serial No. 09/529,967
25 June 2001
Page 12

subject matter and that no undue experimentation is necessary to practice the claimed invention. For all of the above reasons, it is submitted that the specification is fully enabling to a person of ordinary skill in the art. Withdrawal of this rejection is requested.

The Examiner has rejected claims 8-10 under 35 USC §112, second paragraph. It is believed that the amendments to claims 8-10 obviate this rejection, and its withdrawal is requested.

In view of the above amendments and remarks, it is believed that the claims satisfy the requirements of the patent statutes and are patentable over the cited prior art. Reconsideration of the instant application and early notice of allowance are requested. The Examiner is invited to telephone the undersigned if it is deemed to expedite allowance of the application.

RESPECTFULLY SUBMITTED,					
NAME AND REG. NUMBER	Jeffrey L. Ihnen, Registration No. 28,957				
SIGNATURE				DATE	25 JUNE 2001
Address	Rothwell, Figg, Ernst & Manbeck Suite 701-East, 555 13th Street, N.W.				
City	Washington	State	D.C.	Zip Code	20004
Country	U.S.A.	Telephone	202-783-6040	Fax	202-783-6031

Attachments: Marked-Up Copies of Amendments



Serial No. 09/529,967
25 June 2001
Mark-ups, Page 1

Marked-Up Copy of the Amended Specification (Paragraph on Page 7 at lines 12-14)

The luminescence of the cells is preferably measured using an X-ray or Polaroid® photographic [polaroid] film, a CCD-camera (Charge Coupled Device), a liquid scintillation counter or, most preferably, a luminometer.

Marked-Up Copy of the Amended Specification (Paragraph on Page 11, line 18-Page 12, line 8)

Measurement of light emission can be done by using X-ray or Polaroid® photographic [polaroid] film, using a liquid scintillation counter, a CCD-camera or a luminometer. The CCD-camera is an instrument which is capable of detecting very low levels of light. In the applications of this invention such [kind of] a device could be used for the detection of tetracycline residues in food material such as vegetables or meat. The detection of light emission could be directly monitored from the surface of the food material sprayed with engineered luminescent bacteria. Either chemiluminescent (such as peroxidase-luminol) or bioluminescent (such as luciferase-luciferin) reactions can be utilized. The luminometric method is performed with the aid of genes encoding either bacterial or beetle luciferases such as those described in [the] Figures 2 and 4. Several luminescent bacterial species such as *V. harveyi*, *V. fischeri*, *P. leiognathi*, *P. phosphoreum*, *Xenorhabdus luminescens*, etc., exist. Luminescent beetles are, for example, *Luciola mingrelia*, *Photinus pyralis*, *Pyrophorus plagiophthalmus*, *Lampyrus noctiluca*, *Pholas dactylus*, etc. Also, several eukaryotic species in the sea which luminesce, such as marine ostracod *Vargula hilgendorfii*, jellyfish *Aequorea victoria*, batrachoidid fish *Porichthys notatus*, pempherid fish *Parapriacanthus ransonneti*, etc., exist. Fluorescent reporter proteins such as green fluorescent protein (GFP) or any of its variants could be used in the methods described in this invention (Li, X. et al. (1997) J. Biol. Chem. 272, 28545-28549).



Serial No. 09/529,967
25 June 2001
Mark-ups, Page 2

Marked-up Copy of Amended Claims

1 (amended). A method for the determination of [a] tetracycline in a sample characterized in that

- the sample is brought into contact with prokaryotic cells encompassing a DNA vector including a nucleotide sequence encoding a light producing enzyme under transcriptional control of a tetracycline repressor and a tetracycline promoter,

- detecting the luminescence emitted from the intact cells, and

- comparing the emitted luminescence to the luminescence emitted from cells in a control containing no tetracycline

- wherein a detectable luminescence higher than a luminescence of the control indicates the presence of tetracycline in the sample.

8 (twice amended). The method of claim 1 characterized in that the sensitivity of the analysis with respect to the tetracycline derivative is increased by the use of cells which are [especially] antibiotic sensitive mutant strains.

9 (twice amended). The method of claim 1 characterized in that the luminescence is measured using an X-ray or [polaroid] photographic film, a CCD-camera, a liquid scintillation counter or a luminometer.

10 (twice amended). The method of claim 1 characterized in that the sample to be analyzed is milk, fish, meat, infant formula, eggs, honey, vegetables, serum, plasma, or whole blood [or the like].

11 (twice amended). A recombinant prokaryotic cell characterized in that it encompasses [a] the DNA vector of claim 21, wherein [including a nucleotide sequence encoding a light producing enzyme under transcription control of a tetracycline repressor and a tetracycline promoter, and that] the DNA vector is a plasmid containing the luxCDABE genes (SEQ ID NO:3) under



Serial No. 09/529,967
25 June 2001
Mark-ups, Page 3

transcription control of a tetracycline repressor (TetR) (SEQ ID NO:11) and a tetracycline promoter (TetA) (SEQ ID NO:9) from *Tn10*.

14 (twice amended) The DNA vector of claim 22, wherein the vector is a [A] plasmid
[characterized in that it comprises] comprising the luxCDABE genes (SEQ ID NO:3) under
transcription control of a tetracycline repressor (TetR) (SEQ ID NO:11) and a tetracycline promoter
(TetA) (SEQ ID NO:9) from *Tn10*.